



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/801,464	03/16/2004	Debora Margaret Hejza Litwiller	D/A3557	3203
<div>37211      7590      09/24/2007</div> <div>BASCH &amp; NICKERSON LLP</div> <div>1777 PENFIELD ROAD</div> <div>PENFIELD, NY 14526</div>				
			<div>EXAMINER</div> <div>PARKER, BRANDON</div>	
			<div>ART UNIT</div> <div>2174</div>	<div>PAPER NUMBER</div>
			<div>NOTIFICATION DATE</div> <div>09/24/2007</div>	<div>DELIVERY MODE</div> <div>ELECTRONIC</div>

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

dneels@bnpatentlaw.com  
dmasters@bnpatentlaw.com  
mnickerson@bnpatentlaw.com

## Office Action Summary

Application No.

10/801,464

Applicant(s)

LITWILLER, DEBORA MARGARET  
HEJZA

Examiner

Brandon Parker

Art Unit

2174

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 26 June 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

**DETAILED ACTION**

Claims 1, 5-9, 12, and 16-20 were amended and claims 1-20 remain pending in the application.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-20 are rejected under 35 U.S.C. 102(e) as being anticipated by Frederiksen et al (US Patent 6,859,287) Frederiksen hereinafter

With respect to claim 1,

Frederiksen discloses a method of setting a variable value feature, having a plurality of values associated therewith wherein the plurality of values include a default value (Col. 2 lines 54 and 55) and a plurality of non-default values (Col. 3 lines 29-34), on a user interface, the user interface having user activatable areas (10, Fig. 1 Drawing) enabling a selection and changing (i.e. override) of the variable value (document size selector), (Col. 3 lines 15-18, Frederiksen Claim 14) feature comprising: (a) displaying, on the user interface, a first numeric value (64 Fig. 1 Drawing) associated with a user selected variable value feature (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing). Note: The auto detect selection detects a size/numeric value.

(b) changing (i.e. override) the displayed first numeric value (64, Fig. 1 Drawing) associated with the selected variable value feature (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing) by a predetermined numeric amount (i.e. auto detect selection) so as to display a second numeric value (62 Fig. 1 Drawing) associated with the selected variable value feature by a user engaging (i.e. selecting/choosing) a user activatable area of the user interface (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing) associated with the selected variable value feature (i.e. choose a desired size, wherein the size represents a numeric value), (Col. 3 lines 15-39) .

(c) determining if an annotated message is associated with the displayed second numeric value (Ledger, 64 Fig. 1 Drawing) associated with the selected variable value feature (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing), the annotated message expressing information (i.e. ledger) equivalent to the displayed second numeric value (52, Fig. 1 Drawing) in a non-numeric form (letter, industry accepted standard value Col. 3 lines 55-62) Note: the annotated message "ledger" represents a size that is in non-numeric form (64, Fig. 1 Drawing).

(d) displaying the annotated message (Ledger, 64 Fig. 1 Drawing) associated (i.e. corresponding) with the selected variable value feature (Col. 3 lines 55-58) along with the displayed second numeric value (64 Fig. 1 Drawing) associated with the selected variable value feature (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing) when it is determined that the displayed second numeric value (62, 36 Fig. 1 Drawing) associated with the selected variable value feature (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing)

Art Unit: 2174

has an associated annotation message (i.e. Ledger, 64, Fig. 1 Drawing), Note: Ledger is displayed when a ledger sized document is selected.

(e) displaying no annotated message when it is determined that the displayed second numeric value associated with the selected variable value feature has no associated annotation message (Col. 3 lines 29-39). Note: It is understood by the examiner that displaying no annotated message means no annotated message is displayed when it is determined that the second numeric value has no associated annotated message. Note: Frederiksen discloses two sections: a original section (28, Fig. 1 Drawing) wherein a letter size document can be selected (Col. 2 lines 60-62) wherein the annotated message "Letter" is shown (64, Fig. 1 Drawing) and a modify section (30 Fig. 1 Drawing) wherein the size of the block is displayed (Col. 3 lines 33 and 34) but does not show an annotated message.

With respect to claim 2,

Frederiksen discloses a method wherein the selected variable value feature is a magnification function (enlarged, decreased Col. 3 lines 34-39)

Claim 13 is similar in scope to claim 2 and is therefore rejected under similar rationale.

With respect to claim 3,

Frederiksen discloses a method wherein the selected variable value feature is a facsimile transmission function (Col. 3 lines 29-34)

Claim 14 is similar in scope to claim 3 and is therefore rejected under similar rationale.

With respect to claim 4,

Art Unit: 2174

Frederiksen discloses a method wherein the selected variable value feature is a contrast function (Col. 3 lines 34-39)

Claim 15 is similar in scope to claim 4 and is therefore rejected under similar rationale.

With respect to claim 5,

Frederiksen discloses a method further comprising: (e) disabling the user activatable area of the user interface associated with the selected variable value feature for a predetermined period of time when it is determined that the displayed second numeric value associated with the selected variable value feature has an associated annotation message so as to allow the user to become aware of the displayed annotated message (Col 3 lines 34-39) Official notice is taken that in software application when a minimum and/or maximum value is reached the activatable area will be disabled causing the area to be inactive, since maximum and minimum values have no further boundaries.

Claim 9 and 17 are similar in scope to claim 5 and are therefore rejected under similar rationale.

With respect to claim 6,

Frederiksen discloses a method further comprising: (e) determining whether the displayed second numeric value (36, Fig. 1 Drawing) associated with the selected variable value feature is a minimum value for the selected variable value feature (54, 56 Fig. 1 Drawing); (f) disabling a user activatable area of the user interface associated selected variable value feature (54,56 Fig. 1 Drawing) that enables the value of the

Art Unit: 2174

selected variable value feature (54,56 Fig. 1 Drawing) to be decremented when it is determined that the displayed second numeric value associated with the selected variable value feature is a minimum value for the selected variable value feature (i.e. decreased by depressing the reduce button), (Col. 3 lines 34-37); (g) determining whether the displayed second numeric value (36, Fig. 1 Drawing) associated with the selected variable value feature (54, 56 Fig. 1 Drawing) is a maximum value for the selected variable value feature (54, Fig. 1 Drawing); and (h) disabling a user activatable area of the user interface associated selected variable value feature that enables the value of the selected variable value feature to be incremented when it is determined that the displayed second numeric value associated with the selected variable value feature is a maximum value for the selected variable value feature (Col 3 lines 34-39).

Official notice is taken that in software application when a minimum and/or maximum value is reached the activatable area will be disabled causing the area to be inactive, since maximum and minimum values have no further boundaries.

Claim 12, 18, 19, and 20 are similar in scope to claim 6 and are therefore rejected under similar rationale.

With respect to claim 7,

Frederiksen discloses a user interface for selecting and setting a variable value feature, having a plurality of values associated therewith wherein the plurality of values include a default value and a plurality of non-default values, comprising:

a display area to display a first numeric value (Letter, 64 Fig. 1 Drawing) associated with a user selected variable value feature (54,56 Fig. 1 Drawing);

a user activatable area (Fig. 1 Drawing) to change (i.e. override) the displayed first numeric value (Letter 64, Fig. 1 Drawing) associated with the selected variable value feature (54, 56 Fig. 1 Drawing) by a predetermined numeric amount (i.e. auto detect selection) so as to display a second numeric value (Ledger, 64 Fig. 1 Drawing) associated with the selected variable value feature (54, 56 Fig. 1 Drawing), (Col. 3 lines 9-19, 29-39);

a memory for storing a number of annotated messages, each annotated message (i.e. letter, 64 Fig. 1 Drawing) being associated (i.e. represents) a numeric value (i.e. size), (Col. 2 lines 60-63) of the user selected variable value feature (54, 56 Fig. 1 Drawing), the annotated message expressing information equivalent to the associated numeric value of the user selected variable value feature in a non-numeric form (Letter, 64, Fig. 1 Drawing); Note: "Letter" is displayed (i.e. non-numeric form) on the interface which represents the size (i.e. numeric value), (Col. 2 lines 60-63) and

a controller to determine if a stored annotated message is associated with the displayed second numeric value (Ledger, Fig. 1 Drawing) associated with the selected variable value feature (54, 56 Fig. 1 Drawing);



Art Unit: 2174

said controller causing said display area to display the annotated message (Ledger 64, Fig. 1 Drawing) associated with the selected variable value feature (54, 56 Fig. 1 Drawing) along with the displayed second numeric value (i.e. size, 64 Fig. 1 Drawing) associated with the selected variable value feature (54, 56 Fig. 1 Drawing) when it is determined the displayed second numeric value (Ledger 64, Fig. 1 Drawing) associated with the selected variable value feature (54, 56 Fig. 1 Drawing) has an associated annotation message (Ledger 64, Fig. 1 Drawing); Note: Ledger is displayed on the interface which represents the size (i.e. numeric value).

said controller causing said display area to display no annotated message associated when it is determined that the displayed second numeric value (52 Fig. 1 Drawing) associated with the selected variable value feature has no associated annotation message. Note: There is no annotation message when the size (i.e. numeric value) is selected from the enlarge and reduce buttons (i.e. selected variable value feature), (Col. 3 lines 29-39).

With respect to claim 8,

Frederiksen discloses a user interface wherein said user activatable area includes an up user activatable area to increment the displayed first numeric value associated with the selected variable value feature by a predetermined numeric amount (54/Fig. 1 Drawing) and a down user activatable area to decrement the displayed first numeric value associated with the selected variable value feature by a predetermined numeric amount (56/Fig. 1 Drawing)

With respect to claim 10,

Frederiksen discloses a user interface wherein said up user activatable area is a first push button (54/Fig. 1 Drawing) and said down user activatable area is a second push button (56/Fig. 1 Drawing)

With respect to claim 11,

Frederiksen discloses a user interface as claimed in claim 8, wherein said up user activatable area (54/Fig. 1 Drawing) is a first area on a touch screen and said down user activatable area (56/Fig. 1 Drawing) is a second area on a touch screen (touch screen/graphical icon system 10 Fig 1. Drawing).

Regarding claim 16,

Frederiksen discloses a method of setting a variable value feature, having a plurality of values associated therewith wherein the plurality of values include a default value and a plurality of non-default values (Col. 2 lines 54 and 55), on a user interface, the user interface having user activatable areas (10/Fig. 1) enabling a selection and changing of the variable value feature (document size selector), (Col. 3 lines 15-18, Frederiksen Claim 14) comprising: (a) displaying, on the user interface, a first numeric value (64 Fig. 1 Drawing) associated with a user selected variable value feature (auto-detect selection/default value, first numeric value Col. 3 lines 9-19), (10 Fig. 1 Drawing) (b) changing (i.e. override) the displayed first numeric value (64, Fig. 1 Drawing) associated with the selected variable value (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing) feature by a predetermined numeric amount (i.e. auto detect selection) so as to display

a second numeric value (62 Fig. 1 Drawing) associated with the selected variable value feature by a user engaging (i.e. selecting/choosing) a user activatable area of the user interface (Col. 3 lines 9-19, 54/56 Fig. 1 Drawing) associated with the selected variable value feature (override/changing Col. 3 lines 15-39)

(c) determining if the displayed second numeric value is an industry accepted standard value associated with the displayed second numeric value (letter, industry accepted standard value Col. 3 lines 55-62) and

(d) displaying an annotated corresponding to the industry accepted standard value along with the displayed second numeric value associated with the selected variable value feature when it is determined that the displayed second numeric value is an industry accepted standard value associated with the selected variable value feature, the annotated message expressing the industry accepted standard value associated with the displayed second numeric value in a non-numeric form (Letter, 64 Fig. 1 Drawing); Note: the annotated message "ledger" represents a size (i.e. numeric/industry accepted value) that is in non-numeric form (64, Fig. 1 Drawing) and

(e) displaying no annotated message when it is determined that the displayed second numeric value is not an industry accepted standard value associated with the selected variable value feature (Col. 3 lines 29-39). Note: It is understood by the examiner that displaying no annotated message means no annotated message is displayed when it is determined that the second numeric value has no associated annotated message. Note: Frederiksen discloses two sections: a original section (28, Fig. 1 Drawing) wherein a letter size document can be selected (Col. 2 lines 60-62)

wherein the annotated message "Letter" is shown (64, Fig. 1 Drawing) and a modify section (30 Fig. 1 Drawing) wherein the size of the block is displayed (Col. 3 lines 33 and 34) but does not show an annotated message.

### ***Response to Arguments***

Applicant's arguments filed 06/26/2007 have been fully considered but they are not persuasive.

Regarding claim 1, applicant argues Frederiksen does not teach a second numeric value displayed in a non-numeric form. However, Frederiksen discloses graphical icon, which represent the size of the copy image (Col. 3 lines 29-55) wherein the icon is in a graphical form, which represent the size (i.e. numeric value). Furthermore, Frederiksen discloses annotated messages wherein "letter" and "ledger" are displayed (i.e. non-numeric form) on the interface which represents the size (i.e. a numeric value), (64, Fig. 1 Drawing) and displays the size of a copy image (i.e. numeric value), (52, Fig. 1 Drawing) if a user intends to enlarge or reduce the size (i.e. selectable variable value feature).

Regarding claim 16, applicant argues Frederiksen fails to disclose displaying no annotated message when it is determined that the displayed second numeric value is not an industry accepted standard value associated with the selected value feature wherein the annotated message expresses the industry accepted standard value associated with the displayed second numeric value in a non-numeric form. However, it is understood by the examiner that displaying no annotated message means no annotated message is displayed when it is determined that the second numeric value

has no associated annotated message. Note: Frederiksen discloses two sections: a original section (28, Fig. 1 Drawing) wherein a letter size document can be selected (Col. 2 lines 60-62) wherein the annotated message "Letter" is shown (64, Fig. 1 Drawing) and a modify section (30 Fig. 1 Drawing) wherein the size of the block is displayed (Col. 3 lines 33 and 34) but does not show an annotated message.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brandon Parker whose telephone number is 571-270-1302. The examiner can normally be reached on Monday thru Friday 7:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid can be reached 571-272-4063. The fax phone number for the organization where this application or proceeding is assigned is 571-270-2302.

Art Unit: 2174

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BP  
08/24/2007



Brandon Parker  
Patent Examiner  
Art Unit 2174



KRISTINE KINCAID  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100